


WITH 4 SPECIAL OFFER KITS

INCLUDING THE ALL NEW SUPER-PERFORMANCE MINI-BRUTE HORNET



FREE WITH ORDER

Model Rocket Booster Sticker



HORNET

Not available in catalog.

Brand new model with a payload section. Features heavy-duty construction and a quick change engine mount.
Parachute recovery.

Length: 10.25 in.

(26 cm)

Body Dia.: 0.767 in.

(19.5 mm)

Weight: 0.501 oz.

(14.2 gr)

DEGREE OF CHALLENGE: 1

Recommended Engines:

½ A3-2T, A3-2T, A3-4T Shipping Wt.: 4 oz. Order TK-4

THE HORNET
FANTASTIC PERFORMANCE!

ONLY 25¢ with \$7.50 order:

ASTRON GOBLIN

Not available in catalog.

Powerful. Fast. This spooky kit gets up and moves. It's the rocket you'll need a good recovery team for. Adapters permit a wide range of engine possibilities.

Length: 14.32 in.

(36.3 cm)

Body Dia.: 1.325 in.

(33.6 mm) Weight: 2.0 oz. (56.6 gr)

DEGREE OF CHALLENGE: 1

Recommended for Experienced Rocketeers



Recommended Engines:

D-13-7 (Or others, like C6-5, B6-4 and A8-3, with adapter EM-2050)

Shipping Wt.: 7 oz.

Order 702-K-55

ONLY 25¢ with \$5.00 order:

ASTRON STINGER

Not available in the catalog.

This easy-to-build streamer recovery model really travels. Especially designed for aero-dynamic efficiency. Reaches extremely high altitudes—flight after flight.

Length: 12.5 in. (31.7 cm)

Body Dia.: 0.736 in.

(18.7 mm) Weight: 0.75 oz. (21.2 gr)

DEGREE OF CHALLENGE: 1

Recommended Engines:

½ A6-2, A5-4, A8-3, B6-6, B4-6, C6-7

Shipping Wt.: 5 oz.
Order 702-K-53

ONLY 25¢ with \$5.00 order: **ASTRON** MARK High-flying streamer recovery bird is ideal for contest, sport and demonstration flying. Clean design and simple construction make the Mark a favorite of many rocketeers. Length: 9.1 in. (23.1 cm) Body Dia.: 0.765 in. (19.4 mm) Weight: 0.7 oz.

DEGREE OF CHALLENGE: 1

(20 gr)

Recommended Engines:

½ A6-2, A8-3, B6-4, C6-5 Shipping Wt.: 5 oz.

Order 651-K-2

FOLLOW THEIR FLIGHTS

with your own "scratch design" Mini-Brute model rocket

Here's all the parts you'll need to design and build your own Mini-Brute Kit.

Nose Cor	nes:			
BNC 5V	(Listed in regular catalog)	.25		
BNC 5E	(Listed in regular catalog)	.25		
BNC 5S	(Listed in regular catalog)	.25		
BNC 5W	(Listed in regular catalog)	.40		
BNC 5AW	(Used on the Screamer)	.35		
Body Tubes:				
	18" long	.30		
BT-5P	5.1" long	.15		
Engine B	lock:			
EB-5B	iour,	.20		
LD-0D	to the first time to the material and the translation and the	.20		
Engine Holder:				
EH-3		.20		
Balsa Tube Adapter:				
TA520		.30		
TA550		.35		
	The second secon			
Stage Co				
JT5C		.10		
Parachute:				
PK8	A compared to the compared that the compared to the compared t	.25		
Small Pa	rts:			
Screw-Eye SE-3				
Nose Cone Weights:				
NIOWIO		40400		
NCW-2	Talanan anana ana ana ana anananana ana a	10/.20		

NCW-4

ROCKE RONICS

Now Estes brings a whole new concept and dimension to Model Rocketry.

The TRANSROC Transmitter is your basic unit. Launched in its basic module it sends back an intermittent beacon to serve as a rocket finder or demonstration unit. After taking this first step you'll soon want to add other (not included) low-cost components to make your TRANSROC flights even more valuable. By adding the microphone package to the basic unit you will be able to hear, even record and analyze, all the sounds from on board your rocket, including the countdown, lift-off, stage separation, wind noises and parachute ejection. With the Roll Rate Sensor you can study the effects of the fin alignment, or conduct experiments on the effects of other aerodynamic surfaces. You can also add the TM

(Telemetry Module) and transmit and record direct from your rocket important data such as temperature.

The TRANSROC system is available now, and is so versatile you'll be able to adapt it to all your future telemetry needs; yet the basic unit and all add-on components are engineered to fit the rocketeer's budget.

TRANSROC TRANSMITTER

When the rocket is launched, this tiny transmitter which requires no FCC license sends back an interrupted beep every second which can be received on standard walkie-talkie receivers or other Citizen's Band receivers set to any Channel in the 27 mg. Citizen's Band. This beacon signal is perfect for a basic demonstration of radio broadcast techniques and for recovering models difficult to locate.

The closer you approach the rocket, the stronger the signal becomes. A small 15-volt battery sends loud and clear signals with an effective range of 5 miles in flight and several hundred yards on the ground. The kit, when

assembled, weighs only 0.6 oz. (without battery) and comes complete with crystal and trailing wire antenna. The battery, which operates the transmitter up to 24 hours, is not included. The device assembles in an evening, fits perfectly in a BT-50 body tube, or can be easily adapted to larger rockets.

Shipping wt. 5 oz. Order Number TX-1 Price \$14.95 For those with no electronic kit building experience, we suggest the completely assembled and tested Transroc.

Order Number TX-1A ROCKETRONICS CATALOG

Price \$21.95

Return this coupon today for your free Rocketronics Catalog. The Catalog lists all the Rocketronics Kits, the Science Fair Kits and has a complete Technical Section.

Please send the	Rocketronics Catalog to	D;	
NAME			
ADDRESS			
CITY	STATE	ZIP	

Mail to:

10/.20

ESTES INDUSTRIES, INC.

P.O. Box 227

Penrose, Colorado 81240

LAURICH AN ESTES ROCKET!

DEMON

Degree of Challenge: Two

Use "D" power (or other engines with an EM-2050 Adapter) on this new NASA researchtype vehicle. Comes with easy-to-see bright silver press-on foil trim. When applied to the payload section, the trim actually acts as a flashing beacon to help you in in-flight tracking and recovery of the Demon. Makes it a perfect bird for high altitude experimentation. Kit includes two-color decals and parachute recovery.

Specifications:

20

D

EM

0

Length: 26.5 in. (67.3 cm) Body Dia: 1.325 in.(33.6 mm) Weight: 2.75 oz. (78 gr)

Shipping wt. 12.5 oz. Price: **\$3.95** Order Number K-58

Recommended Engines:

D13-7;

Also, B6-4, ¹ B14-5, C6-5 (Using EM-2050 Adapter)

BANDIT

Degree of Challenge: Two

Features a new Ejection
Ducting System so there's
no need for recovery
wadding, and no need
to spend a lot of time
prepping the Bandit
for flight. The Bandit
has a military rocket
styling when the twocolor decals are
applied. The advanced
recovery system will
further your knowledge
of model rocketry
techniques.

Specifications:

Length: 25.75 in. (65.4 cm)
Body Dia.: 1.325 in. (33.6 mm)
Weight: 2.6 oz. (37.9 gr)
Shipping wt 12.5 oz.
Price \$3.75
Order Number K-48

Recommended Engines: A8-3, B4-4, B6-4, B14-5, C6-5

Use B6-4 for first flights.

SKYDART

Degree of Challenge: Three

This totally new rocket boosted glider design features an internal rear ejection power pod. Streamlined "Business SST" body styling results in a high performance glide along with good reliability. Parachute recovery brings power pod back safely for flight after flight. Other features include a movable elevator for positive stability change using an elevator trim screw for accurate and repeatable adjustments.

Specifications:

Wing Span: 12.6 in. (31.8 cm)
Length: 15.8 in. (40 cm)
Body Dia: 976 in. (24.8 mm)
Weight: 1.25 oz. (35.4 gr)
Weight of Glider
with Pod: 2.5 oz. (70.8 gr)
Shipping wt 12 oz.
Price: \$3.25

Order Number K-57 Recommended Engines: A5-2, B4-2, C6-3

MARK II Degree of Challenge: One

This completely revamped bird boasts a new mid-ejection system with far lower drag, and with a slower descent and lighter weight at touch down to keep the die-cut fins intact. Now, light and true spiral wound tubes are used to give you greater performance on even the smallest engines. Features streamer recovery, custom decals and all pre-cut parts no knife required!

Specifications:

Length: 9.7 in. (24.8 cm)
Body Dia:
767 in. (19.3 mm)
Weight .389 oz (11.05 qr)
Shipping wt. 4 oz.
Price: \$1.35
Order Number K-2A

Recommended Engines: ¼A3-1, ½A6-2, A8-3, B6-4, C6-7

IN A SOARING SALUTE TO APOLLO 15



Launch your Estes model rocket within two weeks of the July 26th Apollo 15 liftoff—and share, in a symbolic way, in the courageous activities of America's astronauts! By producing your own miniature space shot, you will show your support of our nation's space program and you will receive a free certificate like the one shown above—



signifying your successful "Follow Apollo 15" launch from Vern Estes, president of Estes Industries. Just write Vern after your launch.

An ideal way to salute Apollo 15 would be to include research on the Apollo program, careful checking out of your launch complex, safety inspection of your model rocket, recovery crew position, suitable arrangements for spectators and duplication of the pre-launch countdown procedure.

To simulate actual conditions, set your launch's time slot in advance. You might select a launch window of 20 minutes centering on one hour after the main launch so that you can watch Apollo 15 on T.V. This means you could launch your Estes model rocket any time between 50 and 70 minutes after the July 26 Apollo launch. If this will be after dark in your area, you may elect to launch before the actual Apollo lift-off.



Your launch facilities should be readied in advance and placed in a standby condition. Suitable protection should be provided for your model rocket and your launch complex so they can safely withstand possible temporary poor weather. It is important that you re-ready your rocket recovery system just before launching.

Order your Estes model rocket now—and start building it as soon as possible. When your countdown reaches the instant of ignition, track your rocket's ascent as it follows Apollo 15 toward space.

SPECIAL

OFFERS!

WHEN YOUR ORDER IS FOR \$5.00 OR MORE YOU CAN RECEIVE ONE OF THE SPECIAL OFFER KITS SHOWN IN THE COUPONS. TO RECEIVE YOUR KIT, CHECK THE APPROPRIATE SQUARE BELOW.

ORDER

FORM

TYPE OR PRINT PLAINLY IN INK
(If additional space is needed

use a separate sheet of paper.)

- ☐ MY ORDER IS OVER \$5.00. SEND THE MARK FOR ONLY 25¢.
- ☐ MY ORDER IS OVER \$5.00, SEND THE STINGER FOR ONLY 25¢.
- \square MY ORDER IS OVER \$7.50. SEND THE GOBLIN FOR ONLY 25¢.
- \square MY ORDER IS OVER \$10.00. SEND THE HORNET FOR ONLY 25¢.

WITH ANY LARGER TOTAL ORDER PLACED AT FULL PRICE YOU ARE ENTITLED TO RECEIVE KITS JUST AS THOUGH YOU HAD PLACED A NUMBER OF INDIVIDUAL ORDERS OF \$5 OR \$10. ENCLOSED IS \$__ DATE: PLEASE RUSH THESE ITEMS TO: Quan. Cat. No. **Product Description** Unit Price Total PLEASE TYPE OR PRINT PLAINLY IN INK Your Name Address City Age ZIP CODE Is this your first order? Yes No Was your last order more than one year ago? For Office Use Only Amt. Recd._ Checked By No. Labels No. Pkgs.__ N/F MOVED RECENTLY? If you have moved since your last order. please write your old address below. NAME ADDRESS ADD 25¢ FOR SPECIAL OFFER KIT. CITY STATE ZIP CODE AMOUNT THIS ORDER CATALOG REQUEST State Sales Tax Please do not write in this space YOUR ORDER WILL REACH YOU FASTER IF YOU (Colo. Orders Unity) INCLUDE YOUR CORRECT ZIP CODE ON ORDER. For Orders under \$2.00, Do you have a friend who is interested in becoming a model rocketeer? Fill out his name and address below and we will send add 25¢ handling him a catalog free of charge. Balance Due Estes Industries from Previous Order Friend's Name A SUBSIDIARY OF DAMON Priority Postage ESTES INDUSTRIES, INC. (If desired) Address Box 227 Penrose, Colorado 81240 TOTAL ENCLOSED City State Zip Code